

## CHAIN LUBE 500ml

**Product Code:** AER007 | **Revision:** 20230621



High-performance anti-fling chain lubricant.

### Available Pack Sizes



### Applications

Chain Lube is a high grade blend of grease, oils and special solvents designed to lubricate and protect all types of chains, especially those under high load or in wet environments. Utilising extreme pressure additive technology and fast evaporating solvents, it penetrates quickly into chain links and rollers enabling smooth operation of all moving parts.

### Performance Levels

Suitable to use on chains, conveyor systems, saturated chains and in the steel industry. It is also ideal for motorcycle & forklift chains, Shake can well and apply from a distance of 15-30cm. Allow to penetrate and wipe off excess with a cloth.

### Benefits

- Advanced EP & adhesive properties.
- Improves chain life.
- Penetrates deeply between chain links.
- Removes moisture and water to prevent corrosion.
- Resistant against oil fling.
- Silicone free.

### Typical Test Data

|                             |                     |
|-----------------------------|---------------------|
| Appearance                  | Clear/Grey          |
| Flash Point (°C)            | <-40                |
| Operating Temperature Range | -10°C to 170°C      |
| Relative Density            | 0.674               |
| Solubility                  | Insoluble in water. |

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

### Recommendations

- A Safety Data Sheet is available for consultation at [www.aztecoils.co.uk](http://www.aztecoils.co.uk).
- Contains a butane/propane propellant.
- Do not spray onto hot surfaces or near open flames.
- Packaging should not be left exposed to elements.
- This product should not be stored in direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.